







WIRE TO LUGS/GROUND PLATE CONNECTIONS



LUGS



LA Offset Lug


LA Straight Lug

Lug Size	No. of Holes	Bolt Size	LA Lug Part No.		Dimensions in Inches					Size in Kcmil	
			Straight	Offset	T F*	W H*	G	E			
1/8x1	1	3/8	B-101-CE	B-101-CE-OL	1/8	1	1/2	7/8	2-3/8	159	
		1/2	B-102-CE	B-102-CE-OL	3-1/8					159	
	2			1/8	1	5/8	3	4-1/2			
3/16x1	1	1/2	B-101-DE	B-101-DE-OL	3/16	1	9/16	1-1/8	2-7/8	239	
		1/2	B-102-DE	B-102-DE-OL	3-5/8					239	
	2	3/8	B-103-DE-OL	B-103-DE-OL	3/16	1	5/8	3	4-3/8	239	
					3/4	5-1/2					
		2**			3/16	1	7/16	1-7/8			
1/4x1	1	1/2	B-101-EE	B-101-EE-OL	1/4	1	5/8	1-1/8	3	318	
		1/2	B-102-EE	B-102-EE-OL	3-5/8					318	
	2			1/4	1	5/8	3	4-7/8			
1/4x1-1/2	1	5/8	B-101-EG	B-101-EG-OL	1/4	1-1/2	3/4	1-1/2	3	478	
		1/2	B-102-EG	B-102-EG-OL	4-1/8					478	
	2			1/4	1-1/2	5/8	3	4-7/8			
1/4x2	2	1/2	B-102-EH	B-102-EH-OL	1/4	2	5/8	3	5-1/4	637	
					1/4	6					
3/8x1-1/2	1	5/8	B-101-GG	B-101-GG-OL	3/8	1-1/2	3/4	1-1/2	3-3/4	4-	716
		1/2	B-102-GG	B-102-GH-OL	3/4					716	
					3/8	1-1/2	5/8	3	5-3/4		

	2				7					
3/8x2		5/8	B-101-GH	B-101-GH-OL	3/8	2	1	2-1/8	4-	955
	1	1/2	B-102-GH	B-102-GH-OL	3/8	5-5/8				955
	2				3/8	2	5/8		3	
					5-3/4		7			
1/2x2		1/2	B-102-JH	B-102-JH-OL	1/2	2	5/8		3	1374
1/4x3	2	1/2	B-104-EK	B-104-EK-	5-3/4		7			955
3/8x3		1/2	OL		1/4	3	5/8		3	1432
1/2x3	4	1/2	B-104-GK	B-104-GK-	5-1/2	6-1/4				1910
	4		OL		3/8	3	5/8		3	
	4		B-104-JK	B-104-JK-	6		7			
	4		OL		1/2	3	5/8		3	
					6-1/4		7-1/4			

*Approximate

**Non-NEMA drillings. Two holes for 3/8" screws on 1" centers. For use with B-131-2Q EXOWELD Ground Plate.



GROUND PLATE	STYLE RA	STYLE RB	STYLE SS	STYLE TA
B1612Q	B530A"XL"	B531A"XL"	B532A"XL"	B533A"XL"
B1613Q	B530B"XL"	B531B"XL"	B532B"XL"	B533B"XL"
B1622Q	B530C"XL"	B531C"XL"	B532C"XL"	B533C"XL"
B1642Q	B530D"XL"	B531D"XL"	B532D"XL"	B533D"XL"
B1643Q	B530E"XL"	B531E"XL"	B532E"XL"	B533E"XL"

NOTE:	X(CONDUCTOR CODE)	EXAMPLE:
Add appropriate suffix:	#4=1L 4/0=2Q	B164-2Q Ground Plate
For"XL":	#2=1V 250=2V	4/0 Pigtail 4 feet long
X=Conductor Code	1/0=2C 350=3D	RA Style B530D2Q48
L=Length in inches	2/0=2G 500=3Q	

Conductor codes are for concentric strand copper cable.